

EXCLUSIVELY FOR INDUSTRIAL & INSTITUTIONAL USE

**GALVATECH
TRUE ZINC COATING**

Galvatech uniquely protects metal from extreme corrosive environments. Full Galvanized protection is realized without hot-zinc dipping because it electrochemically bonds itself to iron and steel. This is a true specialty industrial coating containing over 93% pure zinc powder. Once treated, Galvatech compares to hot dip galvanizing when applied at a 3 mil depth. Galvatech can be painted or welded safely without fumes or burns.

SURFACE PREPARATION

Clean area with Beta-50, Full Contact, Grease Away, or S.O.P. to remove all grease deposits. Wire brush off all loose corrosion. Area to be treated should be clean and dry prior to application.

DIRECTIONS

Shake can until mixing ball rattles, continue shaking for one minute. Position can 30cm (12 inches) from the surface area. Spray in a sweeping motion. Apply in thin even coats. Allow area to dry between coats. When finished, invert can and spray in a short burst to clear the spray nozzle.

Product Code: 2875-A

To Reorder Call (281) 647-9700 or
1-800-295-BETA

BETA TECHNOLOGY, INC.
CORPORATE HEADQUARTERS
P.O. BOX 218686
HOUSTON, TX 77218



**GALVATECH
TRUE ZINC COATING**

- *Generates a Continuous Coating Parallel to Hot Dip Galvanizing*
- *Flexible, Chip Resistant Coating*
- *Can Be Welded or Painted*
- *Designed for Extreme Corrosive Environments*

**NET WT.
14 OZ.**

DANGER:
EXTREMELY FLAMMABLE AEROSOL.
CONTAINS GAS UNDER PRESSURE;
MAY EXPLODE IF HEATED.

DANGER

Extremely Flammable Aerosol. Contains gas under pressure; may explode if heated. Causes skin and serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Do not spray on an open flame or other ignition source.



Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Wash hands thoroughly after handling. Wear protective gloves and eye protection. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Avoid breathing fumes, mist, vapors, and spray. Use only outdoors or in a well-ventilated area. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. Store locked up. Dispose of contents and container in accordance with local, state, and national regulations.

HMS CODES: Health – 2;
Flammability – 3; Reactivity – 1;
Personal – B

600002813