



HOSPITAL DISINFECTANT DEODORANT

An excellent disinfectant, antimicrobial agent and two-way deodorant for use on pre-cleaned, hard, nonporous surfaces, including toilets, urinals, bathtubs, shower stalls, seats, benches, lockers, partitions, counters, fixtures, knobs, handles, railings, telephones, furniture, equipment and surfaces which could harbor hazardous microorganisms.

VIRUCIDAL - Kills Human Immunodeficiency Virus Type 1 (HIV-1), a retrovirus that causes AIDS* (Acquired Immune Deficiency Syndrome). Herpes simplex Types 1 and 2, influenza A2/hong Kong, Adenovirus Type 5, Vaccinia, Infectious canine hepatitis, Canine distemper and Feline pneumonitis.

BACTERICIDAL - Kills three species: Escherichia coli, Pseudomonas aeruginosa, Salmonella choleraesuis, Salmonella schottmulleri (paratyphoid B), Shigella dysenteriae, Staphylococcus aureus, and Streptococcus pyogenes (strep throat).

TUBERCULOCIDAL - Kills Mycobacterium tuberculosis (Tuberculosis).
FUNGICIDAL - Kills Trichophyton mentagrophytes ("athlete's foot" fungi), formerly known as T. interdigitale) in appropriate areas, such as on shower room floors, locker room benches and bath mats.

CONTROLLS MOLD/MILDEW - competely inhibits the growth of Aspergillus Niger and Penicillium variable fungi on cork.

SANITIZES - controls Staphylococcus aureus and Klebsiella pneumoniae on porous fabric and leather surfaces, such as on shoes, athletic mats, athletic shoes and other athletic equipment.

DEODORIZES TWO WAYS - pleasant fragrance quickly suppresses existing unpleasant odors from many sources. Controls microorganisms that could continue to create foul putrescive odors.

FOR USE IN: Industrial, Institutional, Commercial, Medical, and Residential facilities, equipment, and vehicles, including hospitals, ambulances; nursing homes; medical and dental offices and clinics; veterinary offices and animal areas; schools; laboratories; hotels and motels; restaurants and cafeterias; food storage, processing, packaging, handling, and serving establishments and equipment; offices; stores; factories and manufacturing plants; and apartment buildings and homes.

FOR USE ON: Most dyes, porcelain, ceramics, enameled, painted, glass (such as USS, acrylic, lens, rubber, phenolic resin, polycarbonate, polystyrene, polyester, polyethylene, polyolefin, polycarbonate, polyethylene, polyethylene, polyethylene, and vinyl), rubber, metal, steel, leather, wood, brick, and concrete, and similar nonporous surfaces.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the label. This product is not to be used on any surface or treatment that (1) is introduced directly into the human body, either in contact with the bloodstream or normally sterile areas of the body; or (2) contacts intact mucous membranes but which does not originally penetrate the blood barrier or otherwise enter normally sterile areas of the body.

GENERAL: Shake container well before each use and hold it upright while spraying. For use on pre-cleaned, hard nonporous surfaces; not for use on humans or animals. Do not compound or adulterate. Not recommended for use on wallpapered surfaces, water-based "latex" paint, plaster, cellulose (such as rayon) or other alcohol-sensitive materials.

TO KILL HIV (Human Immunodeficiency Virus Type 1; AIDS virus) ON PRECLEANED SURFACES/OBJECTS IN HEALTH CARE OR OTHER SETTINGS WITH TRANSMISSIONAL POTENTIAL: Pre-cleaned surfaces should be treated with 100.0000% disinfectant solution for 10 minutes.

FOR USE ON PERSONAL PROTECTION - Barrier protection items such as disposable latex gloves, gowns, masks, and eyecups should be used in conjunction with this product.

CLEANING PROCEDURE: Exposed body fluids must be thoroughly cleaned from surfaces and objects. This product should be applied as a disinfectant on the surface. Spray as for the ordinary disinfection of infectious materials. Surfaces should be thoroughly rinsed with water and allowed to dry.

FOR USE ON PERSONAL PROTECTION - Barrier protection items should be autoclaved and discarded after use. Do not reuse.

FOR USE ON PERSONAL PROTECTION - Barrier protection items should be autoclaved and discarded after use. Do not reuse.

Hold container upright about 6 to 8' (1.8 m) from surface and spray until target area is thoroughly wetted. Complete disinfection and tuberculocidal activity require a contact time of 10 minutes at approximately 80°F (27°C). Sanitization requires a 5 minute contact time at about 72°F (22°C). For mildew control, repeat application when necessary.

TO DEODORIZE AND FRESHEN ROOM AIR: Spray upward toward center and corners of room, keeping spray opening at least 3 ft. (1 m) from surfaces.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye irritation; do not get in eyes, on skin, or on clothing. May be harmful if swallowed. Avoid breathing spray mist or vapors.

FIRST AID

If inhaled:
• Move person to fresh air.
• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
• Call a poison control center or doctor for further treatment advice.

If on skin or clothing:
• Take off contaminated clothing.
• Rinse skin immediately with plenty of water for 15-20 min.
• Call a poison control center or doctor for treatment advice.

If in eyes:
• Hold eyes open and rinse slowly and gently with water for 15-20 minutes.
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
• Call a poison control center or doctor for treatment advice.

If swallowed:
• Call poison control center or doctor immediately for treatment advice.
• Have person sip a glass of water if able to swallow.
• Do not induce vomiting unless told to do so by the poison control center or doctor.
• Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL/CHEMICAL HAZARDS: Flammable. Contents under pressure. Keep away from heat, sparks, pilot lights, and flames. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

STORAGE AND DISPOSAL

GENERAL: Do not contaminate other materials (including foods/feeds/water) during transport, use, storage, and disposal. If damaged or leaking, soak up and wrap any waste, then dispose of as below.

STORAGE: Keep in a cool, dry, locked area inaccessible to children and away from sources of heat and ignition (including flames, sparks, hot surfaces, and sunlight).

DISPOSAL: Do not puncture or incinerate. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

INGREDIENTS (CAS#): Ethyl Alcohol (84-17-5), Water (7732-18-5), Propylthiourea (68475-88-8),
HAZARDS: Health - 1, Flammability - 3, Reactivity - 1, Personal Protection - A.

NOTICE: This product contains a chemical(s) known to the State of California to cause cancer.

To Reorder Call (281) 647-9700 or
1-800-296-8284
Product Code: 5200-A

SOLD BY
BETA TECHNOLOGY
CORPORATE HEADQUARTERS
P.O. BOX 21 8886 • HOUSTON, TX 77218



Sunshine Hospital Disinfectant Deodorant

Citrus Scent

- Virucidal* • Tuberculocidal
 - Fungicidal • Bactericidal
 - Pseudomonocidal • Staphylocidal
 - Sanitizes Fabric and Leather
 - Controls Mold/Mildew Fungi
- (Specific species/agents listed on back panel.)

**HOSPITAL-USE AND BROAD-SPECTRUM
DISINFECTANT AND ANTIMICROBIAL AGENT
KILLS HIV-1 (AIDS VIRUS) AND HERPES
SIMPLEX TYPES 1 & 2 VIRUSES ON
PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS
PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS.**

ACTIVE INGREDIENTS:	
2-Phenylphenol.....	0.199%
4-Tert-Amylphenol.....	0.046%
Ethanol.....	53.000%
INERT INGREDIENTS.....	46.755%
TOTAL.....	100.0000%

EPA Reg. No. 44440-57-68225 EPA Est. No. 44440-TX-1

KEEP OUT OF REACH OF CHILDREN

WARNING:
SEE ADDITIONAL PRECAUTIONARY AND FIRST AID
STATEMENTS ON BACK PANEL.

NET WT. 16.5 OZ. (468 g)