KOOL BURN BLOCKS HEAT TRANSFER & WELD SPATTER SHIELD

Advanced gel formula blocks heat transfer during torch use. KOOL BURN prevents weld spatter from sticking. Clear gel evaporates after use so there is no extra clean-up time.

GREAT FOR PROTECTION OF:

Plastics • Fittings Sheet Rock • Insulation Wiring • Woodwork

GREAT FOR USE WHILE: WELDING • BRAZING SOLDERING

Helps Reduce Fire Risk

DIRECTIONS FOR USE:

TO BLOCK HEAT TRANSFER: Apply KOOL BURN on and around work surfaces to help prevent damage while welding, brazing or soldering

TO USE AS AN ANTI-SPATTER ON WORK SURFACE AREAS:

Apply KOOL BURN on the work surface to be welded. Kool Burn will evaporate after use. Brush or wipe area clean if a faster clean-up is needed.

Product Code: 2627-A

To Reorder Call: (281) 647-9700 or 1-800-295-BETA

BETA TECHNOLOGY, INC. CORPORATE HEADQUARTERS P.O. BOX 218686 HOUSTON, TX 77218

EXCLUSIVELY FOR INDUSTRIAL & INSTITUTIONAL USE



KOOL BURN Blocks Heat Transfer & Weld Spatter Shield

Evaporates After Use Prevents Weld Spatter From Stjcking

Protects Surrounding Equipment From Torch Damage

Biodegradable & Non-Toxic Non-Corrosive Gel Formulation

> NET WT. 16 OZ.

WARNING/ADVERTENCIA CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. CONTIENE GAS A PRESIÓN; PUEDE EXPLOTAR SI SE CALIENTA.

WARNING:

Contains gas under pressure; may explode if heated.

Keep away from heat, sparks, open flames, and hot surfaces. –No smoking. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place.



ADVERTENCIA:

Contiene gas a presión; puede explotar si se calienta.

Mantenga lejos de calor, chispas, llamas abiertas, y superficies calientes. –No fumar. Envase presurizado: No perfore ni queme, incluso después de usar. Proteja de la luz solar. No exponga a temperaturas que excedan 50°C/122°F. Almacene en un lugar bien-ventilada.

FIRST AID:

IF SWALLOWED: Drink a large amount of water, do not induce vomiting. Seek medical attention if illness occurs. **EYES:** Flush with water for at least 15 minutes occasionally lifting upper and lower eyelids. Seek medical attention if irritation persists. **SKIN:** Not expected to be a problem. **INHALATION:** Remove victim to fresh air. Give oxygen if breathing is difficult. Call a physician immediately.

HMIS CODES:

Health – 1; Flammability – 0; Reactivity – 0; Personal – B.

Made in USA