

## Safety Data Sheet

**SECTION 1: Product and company identification**

Product name : Hygiene Clean  
Use of the substance/mixture : Premoistened wipe  
Product code : 4450  
Company : Beta Technology, Inc.  
P.O. Box 218686  
Houston, TX 77218  
281-647-9700  
Emergency number : 800-535-5053


**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification (GHS-US)**

Flam. Sol. 2 H228  
Eye Irrit. 2A H319  
STOT SE 3 H336

Full text of H-phrases: see section 16

**2.2. Label elements****GHS-US labeling**

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Warning

Hazard statements (GHS-US) :

Flammable solid  
Causes serious eye irritation  
May cause drowsiness or dizziness

Precautionary statements (GHS-US) :

Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ventilating/lighting/ equipment  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Wash thoroughly after handling  
Use only outdoors or in a well-ventilated area  
Wear protective gloves/protective clothing/eye protection/face protection  
If inhaled: Remove person to fresh air and keep comfortable for breathing  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Call a poison center/doctor if you feel unwell  
If eye irritation persists: Get medical advice/attention  
In case of fire: Use water to extinguish  
Store in a well-ventilated place. Keep container tightly closed  
Store locked up  
Dispose of contents/container to comply with local/regional/national/international regulations.

**2.3. Other hazards**

No additional information available

**2.4. Unknown acute toxicity (GHS US)**

Not applicable

**SECTION 3: Composition/information on ingredients****3.1. Substance**

Not applicable

Full text of H-phrases: see section 16

**3.2. Mixture**

## Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
ethanol	(CAS No) 64-17-5	60 - 100	Flam. Liq. 2, H225 STOT SE 3, H336
UNDECETH-5	(CAS No) 34398-01-1	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

**SECTION 4: First aid measures****4.1. Description of first aid measures**

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove the victim into fresh air.
First-aid measures after skin contact	: Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth with water. Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Contact during a long period may cause light irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Gastrointestinal complaints.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media : All extinguishing media allowed.

**5.2. Special hazards arising from the substance or mixture**

Fire hazard	: Highly flammable liquid and vapor.
Reactivity	: Upon combustion: CO and CO <sub>2</sub> are formed.

**5.3. Advice for firefighters**

Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

General measures : Isolate from fire, if possible, without unnecessary risk.

**6.1.1. For non-emergency personnel**

Protective equipment	: Protective goggles. Gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

**6.1.2. For emergency responders**

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.

**6.2. Environmental precautions**

Avoid release to the environment. Prevent entry to sewers and public waters.

**6.3. Methods and material for containment and cleaning up**

For containment	: Contain released substance, pump into suitable containers.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation.

**6.4. Reference to other sections**

No additional information available

## Safety Data Sheet

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.
- Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep container closed when not in use.
- Incompatible products : Oxidizing agent.
- Prohibitions on mixed storage : KEEP SUBSTANCE AWAY FROM: oxidizing agents.
- Storage area : Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.
- Special rules on packaging : meet the legal requirements.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****8.2. Exposure controls**

- Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

- Physical state : Solid
- Appearance : Premoistened wipe.
- Odor : Pleasant scent
- Odor threshold : No data available
- pH : No data available
- Melting point : No data available
- Freezing point : No data available
- Boiling point : > 95 °F
- Flash point : 70 °F Closed Cup - Tested using the liquid component of the towelette
- Relative evaporation rate (butyl acetate=1) : No data available
- Flammability (solid, gas) : No data available
- Explosion limits : No data available
- Explosive properties : No data available
- Oxidizing properties : No data available
- Vapor pressure : No data available
- Relative density : No data available
- Relative vapor density at 20 °C : No data available
- Specific gravity / density : 0.88 g/ml
- Solubility : Liquid component is soluble in water.
- Log Pow : No data available
- Log Kow : No data available
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Viscosity : No data available
- Viscosity, kinematic : No data available
- Viscosity, dynamic : No data available
- VOC content : < 75 % - Tested using the liquid component of the towelette

**SECTION 10: Stability and reactivity**

Hygiene Clean  
**Safety Data Sheet**

**10.1. Reactivity**

Upon combustion: CO and CO2 are formed.

**10.2. Chemical stability**

No additional information available

**10.3. Possibility of hazardous reactions**

Refer to section 10.1 on Reactivity.

**10.4. Conditions to avoid**

No additional information available

**10.5. Incompatible materials**

No additional information available

**10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

Acute toxicity : Not classified

<b>UNDECETH-5 (34398-01-1)</b>	
LD50 oral rat	> 1400 mg/kg
<b>ethanol (64-17-5)</b>	
LD50 oral rat	10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)
ATE CLP (oral)	10740.000 mg/kg body weight

Skin corrosion/irritation : Not classified  
 Serious eye damage/irritation : Causes serious eye irritation.  
 Respiratory or skin sensitization : Not classified  
 Germ cell mutagenicity : Not classified  
 Carcinogenicity : Not classified  
 Reproductive toxicity : Not classified  
 Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.  
 Specific target organ toxicity (repeated exposure) : Not classified  
 Aspiration hazard : Not classified  
 Symptoms/injuries after inhalation : None under normal use.  
 Symptoms/injuries after skin contact : Contact during a long period may cause light irritation.  
 Symptoms/injuries after eye contact : Causes serious eye irritation.  
 Symptoms/injuries after ingestion : Gastrointestinal complaints.

**SECTION 12: Ecological information**

**12.1. Toxicity**

<b>UNDECETH-5 (34398-01-1)</b>	
LC50 fish 1	< 10 mg/l
EC50 Daphnia 1	< 10 mg/l
ErC50 (algae)	< 10 mg/l
<b>ethanol (64-17-5)</b>	
LC50 fish 1	14200 mg/l (96 h; Pimephales promelas)
EC50 Daphnia 1	9300 mg/l (48 h; Daphnia magna)
LC50 fish 2	13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 2	10800 mg/l (24 h; Daphnia magna)
Threshold limit other aquatic organisms 1	65 mg/l (72 h; Protozoa)
Threshold limit algae 1	1450 mg/l (192 h; Microcystis aeruginosa; Growth rate)
Threshold limit algae 2	5000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)

## Safety Data Sheet

**12.2. Persistence and degradability**

ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.70 g O <sub>2</sub> /g substance
ThOD	2.10 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.43 % ThOD

**12.3. Bioaccumulative potential**

ethanol (64-17-5)	
BCF fish 1	1 (72 h; Cyprinus carpio)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Waste treatment methods	: Do not flush wipes. Dispose of contents/container to comply with local/regional/national/international regulations.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.

**SECTION 14: Transport information****Department of Transportation (DOT)**

UN-No.(DOT)	: UN3175
Proper Shipping Name (DOT)	: Solids containing flammable liquid, n.o.s.
Transport hazard class(es) (DOT)	: 4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124
Hazard labels (DOT)	: 4.1 - Flammable solid



Packing group (DOT)	: II - Medium Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 212
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: 47,IB6,IP2,T3,TP33
DOT Packaging Exceptions (49 CFR 173.xxx)	: 151
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 50 kg
DOT Vessel Stowage Location	: B

**Additional information**

Other information	: This product may be eligible to be shipped as a Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.151.
-------------------	---

**ADR**

No additional information available

**Transport by sea**

No additional information available

**Air transport**

No additional information available

Hygiene Clean  
**Safety Data Sheet**

**SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

<b>UNDECETH-5 (34398-01-1)</b>	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity


**SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Flam. Sol. 2	Flammable solids Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H228	Flammable solid
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.  
 NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all ambient conditions.  
 NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.*